



## North American T-28 Trojan Exterior Kit

PAGE 1 of 4

NOTE: Modifications and changes to accommodate your specific aircraft will be made at NO EXTRA CHARGE.  
Partial kits available upon request.

**IF YOU HAVE ANY QUESTIONS PLEASE CALL!**

**Phone: 1-800-336-9633    www.aerographics.com    Fax: 1-970-461-2065**

HOIST	HOIST	KEEP HOLES & SURFACE CLEAN	STATIC	JACK	JACK	NO	NO
HOIST	HOIST		●	PADS	PADS	PUSH	PUSH
NO HAND HOLD		JACK	PORT	COWL RELEASE	COWL RELEASE		
FREE AIR TEMP BULB		JACK	NO	TURN SCREW TO	TURN SCREW TO		
			PUSH	UNLOCK HANDLE	UNLOCK HANDLE		
OPEN FOR		MOOR ONLY	NO	NO HAND HOLD	NO HAND HOLD	TOW	
GROUND HEATER		DO NOT JACK	PUSH			↓	
DUCT			NO	ELECTRICAL	PITOT ELEC.		
			PUSH	& AIRSPEED	& FUEL ACCESS		
MOOR	MOOR	MOOR		CONNECTION		FUEL CELL	
						TIE-DOWN FITTING	
WHEN JACKING BOTH NOSE & WING				ELECTRICAL ACCESS			
JACK EVENLY TO KEEP AIRPLANE LEVEL ↓				WING	WING		
				ATTACH BOLTS	ATTACH BOLTS		

KEEP HOLES & SURFACE CLEAN	STATIC	ANTENNA	AIRSPEED LINES DRAIN	AIRSPEED LINES DRAIN
MOOR ONLY	●	CABLE	FUEL SUMP TANK	ELECTRICAL
DO NOT JACK ↓	PORT	ACCESS	AND BOOSTER	ACCESS
	CONTROLS	PUSH STEP	PUMP ACCESS	PITOT ELEC.
NO		PUSH STEP	OIL COOLER	& FUEL ACCESS
PUSH	BAGGAGE	PUSH STEP	DRAIN	FUEL
	STOWAGE	PUSH STEP	REMOVE CAP	STRAINER
NO	DATA CASE	PUSH STEP	TO DRAIN HYD.	CARB. VAPOR
PUSH	COWL RELEASE	PUSH STEP	SYSTEM - CAUTION	RETURN SUMP
	TURN SCREW TO	PUSH STEP	REPLACE CAP	DRAIN
	UNLOCK HANDLE	PULL	BOOSTER PUMP	FUEL SUMP
ELECTRICAL POWER		PULL	●	●
RECEPTACLE 28 VOLTS	PULL	PULL	DRAIN	DRAIN
HAND HOLD	HAND HOLD	PUSH STEP		
FLAP MANUAL	OPERATION LEVER	PUSH STEP	NO PUSH	NO PUSH
			BOMB RACK	FUEL CELL
				FUEL CELL

**Phone: 1-800-336-9633    www.aerographics.com    Fax: 1-970-461-2065**

# AeroGraphics

*The Original Aircraft Lettering Company*



## North American T-28 Trojan Exterior Kit

PAGE 2 of 4

NOTE: Modifications and changes to accommodate your specific aircraft will be made at NO EXTRA CHARGE.  
Partial kits available upon request.

**IF YOU HAVE ANY QUESTIONS PLEASE CALL!**

**Phone: 1-800-336-9633    www.aerographics.com    Fax: 1-970-461-2065**

CAUTION: DISCONNECT ELECTRICAL WIRING BEFORE REMOVING OUTER WING	ELEC. ↑ ACCESS BOMB    RACK	WING HOIST    CARB. VAPOR RETURN
DO NOT SET AILERON ON FABRIC SEAL	ELECTRICAL & FUEL VENT LINES	ELECTRICAL    FUEL ACCESS           TANK
PULL    PULL    ELECTRICAL & FUEL VENT LINES	MARKER BEACON ANTENNA ENCLOSED FINISH WITH PAINT PER SPEC. MIL-L-7178 AIRCRAFT GRAY COLOR NO. 512	LIQUIDOMETER    VENT ACCESS             ACCESS
JACK & MOOR ↑		FUEL LEVEL    VENT TRANSMITTER   LINE SUP.
BOMB RACK    BOMB RACK		
GUN PACKAGE    GUN PACKAGE	FUEL CELL    FUEL CELL ACCESS       ACCESS	LDG. GEAR MECH FUEL LINE & TANK OUTLET
GUN PACKAGE    GUN PACKAGE	FUEL CELL    FUEL CELL ACCESS       ACCESS	DO NOT SET AILERON ON FABRIC SEAL
ARMAMENT    SHEAR PIN ELECTRICAL		

FUEL    FUEL CELL    STEP    STEP VENT    TIE-DOWN FITTING ACCESS		CAUTION: DISCONNECT ELECTRICAL WIRING AND PITOT LINES BEFORE REMOVING OUTER WING
GREASE    WHEN JACKING BOTH NOSE & WING JACK EVENLY TO KEEP AIRPLANE LEVEL		CAUTION: DISCONNECT ELECTRICAL WIRING AND PITOT AND FUEL LINES BEFORE REMOVING OUTER WING
AILERON    OMNI RANGE    STEP MECHANISM    ANTENNA INSIDE    STEP		VENT LINE    FUEL CELL TIE-DOWN FITTING
GLIDE PATH ANTENNA    OIL TANK    STEP INSIDE LEADING EDGE    FILLER		SUP.    FUEL CELL TIE-DOWN FITTING
NO PUSH    NO PUSH    NO PUSH    NO PUSH		AIRSPD    FUEL CELL CONNECTION    TIE-DOWN FITTING
NO PUSH    NO PUSH    NO PUSH    NO PUSH		WING    FUEL CELL ATT. BOLTS    TIE-DOWN FITTING
HYD. RES. FILL    GYROSYN    STEP & HAND HOLD    COMPASS		FUEL CELL TIE-DOWN FITTING
BATTERY LOCATED ON RIGHT SIDE OF NOSE WHEEL WELL ABOVE L.E. WING		FUEL CELL TIE-DOWN FITTING
	CARB AIR FILTER	

**Phone: 1-800-336-9633    www.aerographics.com    Fax: 1-970-461-2065**



## North American T-28 Trojan Exterior Kit

PAGE 3 of 4

NOTE: Modifications and changes to accomodate your specific aircraft will be made at NO EXTRA CHARGE.  
Partial kits available upon request.

**IF YOU HAVE ANY QUESTIONS PLEASE CALL!**

Phone: 1-800-336-9633    www.aerographics.com    Fax: 1-970-461-2065

**CANOPY  
CONTROL**

LOW  PRESSURE  
OXYGEN FILLER VALVE

AILERON  
MECHANISH

LOW PRESSURE  
OXYGEN FILLER VALVE

SERVICE THIS AIRPLANE WITH  
MIL-F-5572 GRADE 91/96 FUEL

V.H.F. - U.H.F. ANTENNA  
DO NOT FINISH


ANTENNA INSULATOR FINISH WITH  
PAINT PER SPEC MIL-L-7178  
AIRCRAFT GRAY COLOR NO. 512  
ACCESS ON OPPOSITE SIDE

FUEL  
FILLER  
62.5  
U.S. GAL.

FUEL  
FILLER  
88.5  
U.S. GAL.

**RESCUE** 

 **RESCUE**



V.H.F. U.H.F. ANTENNA  
DO NOT FINISH

ANTENNA INSULATOR - FINISH WITH PAINT  
PER SPEC. MIL-L-7178 AIRCRAFT GREY COLOR  
NO. 512 ANTENNA CONNECTION INSIDE

U.S. AIRFORCE T-28A

AF SERIAL NO. AF51-3463

SERVICE THIS AIRPLANE WITH GRADE  
91/96 FUEL SUITABLE FOR AROMATIC  
FUEL. REFER TO T. O. 2-1-501

SUITABLE FOR  
AROMATIC FUEL

FUEL CELL  
TIE-DOWN FITTING

FUEL CELL  
TIE-DOWN FITTING

NO PUSH NO PUSH NO PUSH NO PUSH

HAND HOLD HAND HOLD HAND HOLD

**NO STEP NO STEP**

**NO STEP NO STEP**



## North American T-28 Trojan Exterior Kit

PAGE 4 of 4

NOTE: Modifications and changes to accommodate your specific aircraft will be made at NO EXTRA CHARGE.  
Partial kits available upon request.

**IF YOU HAVE ANY QUESTIONS PLEASE CALL!**

Phone: 1-800-336-9633    [www.aerographics.com](http://www.aerographics.com)    Fax: 1-970-461-2065

**BATTERY  
ACCESS**

ACCESS FOR  
FIRE  
EXTINGUISHING

62.5    88.5

OIL TANK FILLER  
8.8 U.S. GAL.

OIL TANK FILLER  
8.8 U.S. GAL.

**BATTERY  
ACCESS**

ACCESS FOR  
FIRE  
EXTINGUISHING

62.5    88.5

OIL CAP.  
8.8  
U.S. GAL.

OIL CAP.  
8.8  
U.S. GAL.

**RESCUE  
OTHER  
SIDE**

**EMERGENCY**



**EXIT RELEASE**

STOW HANDLE AFTER USING  
PULL OUT  
TURN

EMERGENCY EXTERNAL CANOPY  
EXIT RELEASE ON LEFT SIDE

Phone: 1-800-336-9633    [www.aerographics.com](http://www.aerographics.com)    Fax: 1-970-461-2065