

AeroGraphics

The Original Aircraft Lettering Company



Beechcraft 55,56.58 Baron Interior Kit

PAGE 2 of 4

NOTE: Modifications and changes to accommodate your specific aircraft will be made at **NO EXTRA CHARGE**.
Partial kits available upon request.

IF YOU HAVE ANY QUESTIONS PLEASE CALL!

Phone: 1-800-336-9633 www.aerographics.com Fax: 1-970-461-2065

THIS AIRPLANE MUST BE OPERATED AS A NORMAL CATEGORY AIRPLANE IN COMPLIANCE WITH THE OPERATING LIMITATIONS STATED IN THE FORM OF PLACARDS, MARKINGS, AND MANUALS.

(PILOT'S CHECK LIST)

OCCUPIED SEATS MUST BE IN UPRIGHT POSITION DURING TAKE-OFF AND LANDING

MAXIMUM WEIGHT 5300 LBS

NO ACROBATIC MANEUVERS INCLUDING SPINS APPROVED

AIRSPEED LIMITATIONS

MAX. SPEED WITH LDG GEAR EXTENDED (NORMAL) 175 MPH (152 KTS)

MAX. SPEED WITH FLAPS EXTENDED (15° DOWN) 175 MPH (152 KTS)

MAX. SPEED WITH FLAPS EXTENDED (NORMAL) 140 MPH (122 KTS)

MAX. DESIGN MANEUVER SPEED 180 MPH (156 KTS)

MIN CONTROL SPEED SINGLE ENGINE 93 MPH (81 KTS)

NEVER EXCEED 257 MPH (223 KTS)

MAX. STRUCTURAL CRUISE SPEED 225 MPH (195 KTS)

AEROGRAPHICS
1405 N PROSPECT DR
LOVELAND, CO 80538
800-336-9633

BEECHCRAFT BARON
INTERIOR KIT
2 OF 4



THIS AIRPLANE MUST BE OPERATED AS A NORMAL CATEGORY AIRPLANE IN COMPLIANCE WITH THE OPERATING LIMITATIONS STATED IN THE FORM OF PLACARDS, MARKINGS, AND MANUALS.

NO ACROBATIC MANEUVERS INCLUDING SPINS APPROVED

AIRSPEED LIMITATIONS

MAX. SPEED WITH LDG GEAR EXTENDED (NORMAL) 165 MPH (143 KTS)

MAX. SPEED WITH FLAPS EXTENDED (NORMAL) 140 MPH (122 KTS)

MAX. DESIGN MANEUVER SPEED 180 MPH (156 KTS)

MIN CONTROL SPEED SINGLE ENGINE 92 MPH (80 KTS)

THIS AIRPLANE MUST BE OPERATED AS A NORMAL CATEGORY AIRPLANE IN COMPLIANCE WITH THE OPERATING LIMITATIONS STATED IN THE FORM OF PLACARDS, MARKINGS, AND MANUALS.

NO ACROBATIC MANEUVERS INCLUDING SPINS APPROVED

AIRSPEED LIMITATIONS

MAX. SPEED WITH LDG GEAR EXTENDED (NORMAL) 165 MPH (143 KTS)

MAX. SPEED WITH FLAPS EXTENDED (NORMAL) 130 MPH (113 KTS)

MAX. DESIGN MANEUVER SPEED 180 MPH (156 KTS)

MIN CONTROL SPEED SINGLE ENGINE 92 MPH (80 KTS)

THIS AIRPLANE MUST BE OPERATED AS A NORMAL CATEGORY AIRPLANE IN COMPLIANCE WITH THE OPERATING LIMITATIONS STATED IN THE FORM OF PLACARDS, MARKINGS, AND MANUALS.

NO ACROBATIC MANEUVERS INCLUDING SPINS APPROVED

AIRSPEED LIMITATIONS

MAX. SPEED WITH LDG GEAR EXTENDED (NORMAL) 175 MPH (152 KTS)

MAX. SPEED WITH FLAPS EXTENDED (NORMAL) 140 MPH (122 KTS)

MAX. DESIGN MANEUVER SPEED 180 MPH (156 KTS)

MIN CONTROL SPEED SINGLE ENGINE 92 MPH (80 KTS)

FASTEN SEAT BELTS

FASTEN SEAT BELTS

FASTEN SEAT BELTS

FASTEN SEAT BELTS

BAGGAGE COMPARTMENT
LOAD IN ACCORDANCE WITH
AIRPLANE FLIGHT MANUAL
MAXIMUM STRUCTURAL CAPACITY - 400 POUNDS

BAGGAGE COMPARTMENT
LOAD IN ACCORDANCE WITH
AIRPLANE FLIGHT MANUAL
MAXIMUM STRUCTURAL CAPACITY - 270 POUNDS

BAGGAGE COMPARTMENT
LOAD IN ACCORDANCE WITH
AIRPLANE FLIGHT MANUAL



— MAXIMUM STRUCTURAL CAPACITY —

MAIN COMPARTMENT - 400 POUNDS

AFT COMPARTMENT - 120 POUNDS



OXYGEN OXYGEN OXYGEN



- 28 GAL 50 GAL
- 28 GAL 50 GAL
- 14 GAL 36 GAL
- 14 GAL 36 GAL
- 22 GAL 25 GAL
- 22 GAL 25 GAL
- 83 GAL 83 GAL

HEATER FUSE & SPARE

OXYGEN OXYGEN

ALTERNATOR SYSTEM
RESTORE ALTERNATORS AFTER
OVERVOLTAGE CONDITION
BY SWITCHING TO STANDBY
VOLTAGE REGULATOR

Phone: 1-800-336-9633 www.aerographics.com Fax: 1-970-461-2065

AeroGraphics

The Original Aircraft Lettering Company



Beechcraft 55,56.58 Baron Interior Kit PAGE 3 of 4

NOTE: Modifications and changes to accommodate your specific aircraft will be made at **NO EXTRA CHARGE**.
Partial kits available upon request.

IF YOU HAVE ANY QUESTIONS PLEASE CALL!

Phone: 1-800-336-9633 www.aerographics.com Fax: 1-970-461-2065

INDUCTION
FILTERED
ALTERNATE
UNFILTERED RAW

NOTICE
REMOVE WINTER BAFFLES WHEN OAT EXCEEDS 70° F

NOTICE
REMOVE WINTER BAFFLES WHEN OAT EXCEEDS 70° F

AEROGRAPHICS
1405 N PROSPECT DR
LOVELAND, CO 80538
800-336-9633

BEECHCRAFT BARON
INTERIOR KIT
3 OF 4

GYRO HORIZON VACUUM CHECK GAGE

CAUTION
MAGNETIC COMPASS ERRATIC WHEN AIR CONDITIONER IS IN OPERATION

LEFT ← RUDDER TAB → RIGHT

UP
DOWN

THIS AIRPLANE MUST BE OPERATED AS A NORMAL CATEGORY AIRPLANE IN COMPLIANCE WITH THE OPERATING LIMITATIONS STATED IN THE FORM OF PLACARDS, MARKINGS, AND LIMITATIONS.

NO ACROBATIC MANEUVERS INCLUDING SPINS APPROVED.

TURN STROBE LIGHTS OFF WHEN TAXIING IN VICINITY OF OTHER AIRCRAFT, OR WHEN FLYING IN FOG OR CLOUDS. STANDARD POSITION LIGHTS TO BE USED FOR ALL NIGHT OPERATIONS.

FLAPS
UP
APP
DN

NOSE DOWN
ELEV TAB
NOSE UP

DO NOT TAKE OFF IF FUEL QUANTITY GAGES INDICATE IN YELLOW ARC OR WITH LESS THAN 13 GALLONS IN EACH MAIN TANK

TAKEOFF & LAND ON MAIN TANKS ONLY. TURNING TYPE TAKEOFFS OR TAKEOFFS IMMEDIATELY FOLLOWING A FAST TAXI TURN PROHIBITED. REFER TO FAA FLIGHT MANUAL FOR OTHER FUEL SYSTEM LIMITATIONS

AILERON TAB
L WING DOWN → R WING DOWN
DOWN AILERON TAB
LEFT UP - WING - RIGHT UP

AUX 31 GAL
MAIN 25 GAL
OFF ← CROSS FEED →

MAIN 25 GAL
AUX 31 GAL
CROSS FEED ← OFF →

DIRECTIONAL GYRO
R PUMP
L PUMP

SPARE LIMITERS

UP
LANDING GEAR POSITION
DN

INDICATOR LIGHTS INCREASE

INDICATOR LIGHTS INCREASE

ADJUST AIR

ADJUST AIR

BAGGAGE COMPARTMENT
LOAD IN ACCORDANCE WITH AIRPLANE FLIGHT MANUAL
MAXIMUM STRUCTURAL CAPACITY - 300 POUNDS

Phone: 1-800-336-9633 www.aerographics.com Fax: 1-970-461-2065



Beechcraft 55,56.58 Baron Interior Kit PAGE 4 of 4

NOTE: Modifications and changes to accommodate your specific aircraft will be made at NO EXTRA CHARGE.
Partial kits available upon request.

IF YOU HAVE ANY QUESTIONS PLEASE CALL!

Phone: 1-800-336-9633 www.aerographics.com Fax: 1-970-461-2065

