



Cessna 310 H-M Interior Kit

PAGE 1 of 4

NOTE: Modifications and changes to accommodate your specific aircraft will be made at **NO EXTRA CHARGE**. Partial kits available upon request.

IF YOU HAVE ANY QUESTIONS PLEASE CALL!

Phone: 1-800-336-9633 www.aerographics.com Fax: 1-970-461-2065

OPERATIONAL LIMITS

- A. THIS AIRPLANE MUST BE OPERATED AS A NORMAL CATEGORY AIRPLANE IN COMPLIANCE WITH THE OPERATING LIMITATIONS STATED IN THE FORM OF PLACECARDS, MARKINGS, AND MANUALS
- B. NO AEROBATIC MANEUVERS INCLUDING SPINS APPROVED
- C. MINIMUM SPEED FOR SINGLE ENGINE OPERATION 85 MPH (TIAS)
- D. MAXIMUM GEAR EXTENDED SPEED 160 MPH (TIAS)
- E. MAXIMUM FLAP EXTENSION SPEED 15° FLAP 180 MPH (TIAS)
45° FLAP 160 MPH (TIAS)
- F. MAXIMUM SPEED FOR LANDING LIGHT EXTENSION 170 MPH (TIAS) **L**


OPERATIONAL LIMITS

- A. THIS AIRPLANE MUST BE OPERATED AS A NORMAL CATEGORY AIRPLANE IN COMPLIANCE WITH THE OPERATING LIMITATIONS STATED IN THE FORM OF PLACECARDS, MARKINGS, AND MANUALS
- B. NO AEROBATIC MANEUVERS INCLUDING SPINS APPROVED
- C. MINIMUM SPEED FOR SINGLE ENGINE OPERATION 83 MPH (TIAS)
- D. MAXIMUM GEAR EXTENDED SPEED 140 MPH (TIAS)
- E. MAXIMUM FLAP EXTENSION SPEED 15° FLAP 180 MPH (TIAS)
35° FLAP 140 MPH (TIAS)
- F. MAXIMUM SPEED FOR LANDING LIGHT EXTENSION 160 MPH (TIAS) **K**




AEROGRAPHICS
1405N. PROSPECT DR.
LOVELAND, CO 80538

CESSNA INT. KIT
310 H - M
PAGE 4 OF 4

- OPERATIONAL LIMITS**
- A. THIS AIRPLANE MUST BE OPERATED AS A NORMAL CATEGORY AIRPLANE IN COMPLIANCE WITH THE OPERATING LIMITATIONS STATED IN THE FORM OF PLACECARDS, MARKINGS, AND MANUALS (CHECKLIST)
 - B. NO AEROBATIC MANEUVERS INCLUDING SPINS APPROVED
 - C. MINIMUM SPEED FOR SINGLE ENGINE OPERATION 85 MPH (CAS)
 - D. MAXIMUM GEAR EXTENDED SPEED 140 MPH (TIAS)
 - E. MAXIMUM FLAP EXTENSION SPEED 15° FLAP 160 MPH (CAS)
45° FLAP 140 MPH (CAS)
 - G. MAXIMUM MAEUVERING SPEED 170 MPH (CAS) **J**



MAXIMUM BAGGAGE CAPACITY
165 POUNDS
STATION 110 TO STATION 132
SEE WEIGHT AND BALANCE DATA FOR
DETAILED LOAD INSTRUCTIONS



AeroGraphics

The Original Aircraft Lettering Company





Cessna 310 H-M Interior Kit PAGE 2 of 4

NOTE: Modifications and changes to accommodate your specific aircraft will be made at **NO EXTRA CHARGE**.
Partial kits available upon request.

IF YOU HAVE ANY QUESTIONS PLEASE CALL!

Phone: 1-800-336-9633 www.aerographics.com Fax: 1-970-461-2065

CESSNA INT. KIT 310 H - M PAGE 2 OF 4



Phone: 1-800-336-9633 www.aerographics.com Fax: 1-970-461-2065



Cessna 310 H-M Interior Kit PAGE 4 of 4

NOTE: Modifications and changes to accommodate your specific aircraft will be made at **NO EXTRA CHARGE**.
Partial kits available upon request.

IF YOU HAVE ANY QUESTIONS PLEASE CALL!

Phone: 1-800-336-9633 www.aerographics.com Fax: 1-970-461-2065

OPERATIONAL LIMITS

- A. THIS AIRPLANE MUST BE OPERATED AS A NORMAL CATEGORY AIRPLANE IN COMPLIANCE WITH THE OPERATING LIMITATIONS STATED IN THE FORM OF PLACECARDS, MARKINGS, AND MANUALS
- B. NO AEROBATIC MANEUVERS INCLUDING SPINS APPROVED
- C. MINIMUM SPEED FOR SINGLE ENGINE OPERATION 85 MPH (TIAS)
- D. MAXIMUM GEAR EXTENDED SPEED 160 MPH (TIAS)
- E. MAXIMUM FLAP EXTENSION SPEED 15° FLAP 180 MPH (TIAS)
45° FLAP 160 MPH (TIAS)
- F. MAXIMUM SPEED FOR LANDING LIGHT EXTENSION 170 MPH (TIAS)

OPERATIONAL LIMITS


- A. THIS AIRPLANE MUST BE OPERATED AS A NORMAL CATEGORY AIRPLANE IN COMPLIANCE WITH THE OPERATING LIMITATIONS STATED IN THE FORM OF PLACECARDS, MARKINGS, AND MANUALS
- B. NO AEROBATIC MANEUVERS INCLUDING SPINS APPROVED
- C. MINIMUM SPEED FOR SINGLE ENGINE OPERATION 83 MPH (TIAS)
- D. MAXIMUM GEAR EXTENDED SPEED 140 MPH (TIAS)
- E. MAXIMUM FLAP EXTENSION SPEED 15° FLAP 180 MPH (TIAS)
35° FLAP 140 MPH (TIAS)
- F. MAXIMUM SPEED FOR LANDING LIGHT EXTENSION 160 MPH (TIAS)

AEROGRAPHICS

4221 W. EISENHOWER BLVD.
LOVELAND, CO 80537

**CESNA INT. KIT
310 H - M
PAGE 4 OF 4**

- OPERATIONAL LIMITS**
- A. THIS AIRPLANE MUST BE OPERATED AS A NORMAL CATEGORY AIRPLANE IN COMPLIANCE WITH THE OPERATING LIMITATIONS STATED IN THE FORM OF PLACECARDS, MARKINGS, AND MANUALS (CHECKLIST)
 - B. NO AEROBATIC MANEUVERS INCLUDING SPINS APPROVED
 - C. MINIMUM SPEED FOR SINGLE ENGINE OPERATION 85 MPH (CAS)
 - D. MAXIMUM GEAR EXTENDED SPEED 140 MPH (TIAS)
 - E. MAXIMUM FLAP EXTENSION SPEED 15° FLAP 160 MPH (CAS)
45° FLAP 140 MPH (CAS)
 - G. MAXIMUM MANEUVERING SPEED 170 MPH (CAS)



**MAXIMUM BAGGAGE CAPACITY
165 POUNDS**
STATION 110 TO STATION 132
SEE WEIGHT AND BALANCE DATA FOR
DETAILED LOAD INSTRUCTIONS

ON +	ON +	ON +	HEAT ON +	
OFF ROT. BCN	STROBE	PROP DE-ICE	PITOT	FAN CABIN

ON +	ON +	FLASH +	ON +	
OFF	DE-ICE LT	NAV LT	TAXI LT	

PRIME									
LEFT	+								RIGHT

NAV-1	NAV-2	ON	ON	ON	ON	EMER ALT FIELD		
COM-1	COM-2	OFF	OFF	OFF	OFF	LEFT ALT FIELD		
OPEN DEFROST OR CABIN AIR DURING HEATER OPERATION		L OIL	R OIL	L SWITCHES	R SWITCHES	L IGNITION	R IGNITION	AUTO PILOT
L SOURCE	R SOURCE	OFF FLIGHT	LEFT START	RIGHT START				HOR GYRO
UP FLAPS DN	COMM-1	COMM-2	XPNDER	STROBE	ON OFF	L PRIME	R PRIME	DIR GYRO
	PRIME	--HIGH--	--N--					
	PROP DE-ICE	OFF	OFF					
	DE-ICE WING	ON	OFF					

CIRCUIT BREAKERS - PUSH TO RESET